



# Morini CCT LED

*Under Cabinet Lighting*



Data Sheet

## Product Information

The Morini CCT LED undershelf lights are ideal for lighting under shelves and under kitchen cabinets to illuminate shelves and working surfaces. Complete with mains power lead and fixing brackets. Can be linked either by plugging directly into the previous fitting or using an optional link lead.

Comes with a 2 year warranty for your peace of mind.



## Product Features

- 2 year warranty
- Class II
- IP20
- Instant on
- 2x CCT 3000K/4000K LED
- Can be Linked
- Optional Link lead lengths available 150mm, 300mm, 500mm and 1000mm
- Non-Dimmable

# Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CCT (K)	Lumens (lm)	Length (mm)
KSRL194	Morini 3W 3000K/4000K LED Undershelf Light 250mm	3	3000	320	4000	330	250
KSRL195	Morini 4W 3000K/4000K LED Undershelf Light 344mm	4	3000	455	4000	480	344
KSRL196	Morini 7W 3000K/4000K LED Undershelf Light 571mm	7	3000	900	4000	950	571
KSRL197	Morini 14W 3000K/4000K LED Undershelf Light 905mm	14	3000	1835	4000	1965	905
KSRL198	Morini 18W 3000K/4000K LED Undershelf Light 1205mm	18	3000	2285	4000	2375	1205
<b>Link Leads</b>							
KSRL144	150mm Link Lead						
KSRL145	300mm Link Lead						
KSRL146	500mm Link Lead						
KSRL147	1000mm Link Lead						

<b>Nominal voltage</b>	220-240VAC
<b>Operating frequency</b>	50/60Hz
<b>Ambient temperature range</b>	-20°C~+40°C
<b>Start time</b>	< 0.5 sec
<b>IP rating</b>	20

## Construction

Body: Polycarbonate  
Diffuser: Polycarbonate


## Standards

BSEN60598-1:2015 Luminaires – Part 1: General requirements and tests

## In Conformity with

LVD Low voltage directive 2014/35/EU  
EMC Electromagnetic compatibility directive 2014/30/EU  
ERP Energy related products directive 2009/125/EC  
RoHS Restriction of hazardous substances 2011/65/EU

# Product Dimensions



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.