



## **Product Information**

The Quinto Bollard Range is ideal for path lighting and feature lighting for commercial and domestic applications. With its decorative design it is ideal for a focal point to various external places

Supplied with an anthracite finish Complete with a 2 year warranty



#### **Product Features**

- 2 year warranty
- Class I
- IP54
- 13w CREE LED technology
- Supplied in 3000K as standard
- 360° emitting beam angle
- 2 versions available
- Strong Cast Aluminium Body
- L70-40,000hrs

# **Product Specification**

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (Im)	CRI (Ra)	Protection Class
KSR1911	Quinto 13w LED 230mm Bollard	13w	3000	1075	83	I
KSR1912	Quinto 13w LED 500mm Bollard	13w	3000	1075	83	I

Nominal voltage	100~240VAC			
Operating frequency	50/60Hz			
Circuit Wattage	13w Cree LED			
Circuit Current	0.109A			
Driver mA Rating	300mA			
PFC	0.5			
In Rush Current	0.285A Max Peak			
Ambient temperature range	-20°c to +40°c			
IP rating	54			

#### Construction

Body: Cast Aluminium

Lens: Glass

## **Standards**

BSEN60598-1:2021 Luminaires – Part 1: General requirements and tests


## In Conformity with

LVD Low voltage directive 2014/35/EU


EMC Electromagnetic compatibility directive 2014/30/EU ERP Energy related products directive 2019/2020/EU RoHS Restriction of hazardous substances 2015/863/EU

## **Product Dimensions**

#### KSR1911



#### KSR1912



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.