

Sorocco Wall Wash

Commercial Lighting



Product Information

The Sorocco Wall Wash LED downlight fittings are perfect for commercial applications where a flexible solution is required where wall washing is a soughtafter feature.

Comes with a 5 year warranty for peace of mind.

Product Features

- 5 year warranty
- Class II
- IP40
- Instant on
- High CRI up to ra91
- Tridonic branded driver
- Dimmable options available
- Emergency option available
- 92lm/pcw



Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Beam Angle	Lumens (lm)	CRI (Ra)	Energy Efficiency Class	Protection Class
KSRDL384	Sorocco 40w 4000K LED Wall Wash Downlight White	40	4000	88°	3644	91	A+	II

^{*}Available to order with SwitchDim, corridorFUNCTION, DALI and DSI Control gear

Nominal voltage	220~240VAC		
Operating frequency	50-60Hz		
Circuit Wattage	39.4w including driver losses		
Circuit Current	0.177A		
Driver Current Rating	1050mA		
PFC	0.95		
In Rush Current	1.096A		
Start Time	< 0.5 Sec		
Ambient temperature range	-20°c to +30°c		
IP rating	40		

Construction

Body: Cast Aluminium Rim: Aluminium

Standards

BSEN60598-1:2015 Luminaires – Part 1: General Requirements and tests BSEN60598-2-22:2014 Luminaires – Part 2: Luminaires emergency lighting


In Conformity with

LVD Low voltage directive 2014/35/EU

EMC Electromagnetic compatibility directive 2014/30/EU
ERP Energy related products directive 2009/125/EC
ROHS Restriction of hazardous substances 2011/65/EU

^{*}For emergency options please add EM to the end of the part code

Product Dimensions



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.