

Manta E27 Wall Lantern Lanterns

Product Information

The Manta E27 wall lantern fitting range comes with optional PIR controls.

With its traditional styling this fitting is ideal for Domestic Applications.

Product Features

- 1 year warranty
- Class II
- IP44
- PIR Version available
- Suitable for high Saline areas
- Suitable for use up a 26w Halogen Lamp or 10w E27 LED retrofit lamp
- Available in Black

Product Specification

Product Code	Product Description	Wattage (W)	Energy Efficiency Class	Protection Class
KSR1158BLK	Manta E27 Half Wall Lantern	26w Max	D	II
KSR1159BLK	Manta E27 Half Wall Lantern with on/off PIR	26w max	D	II

Nominal voltage	220~240VAC	
Operating frequency	50/60Hz	
Circuit Wattage	26w E27 Lamp Max	
Circuit Current	Dependant on lamp choice	
Driver Current Rating	N/A	
PFC	Dependant on lamp choice	
In Rush Current	Dependant on lamp choice	
Ambient temperature range	-10°c to +40°c	
IP rating	44	

PIR Specification

Detection Range	130°
Reach	0-12m
Time Settings	5 sec – 5mins Adjustable
Light Control	5-2000Lux

Construction

Body: Polycarbonate
Diffuser: Opal Polycarbonate


Standards

BSEN60598-1:2015 Luminaires – Part 1: General requirements and tests


In Conformity with

ERP Energy related products directive 2009/125/EC RoHS Restriction of hazardous substances 2011/65/EU

Product Dimensions



KSR1158BLK



KSR1159BLK

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.