

Barro Pendant Lights

Pendants



Data Sheet

Product Information

The Barro Pendant lights are suitable for 50w GU10 lamps and are suitable for LED GU10 lamps. These fittings are available in 2 colours making them ideal for domestic and residential applications.

Product Features

- 1 year warranty
- Class I
- IP20
- Suitable for 50w GU10 lamps and LED GU10 lamps
- 2 colour options: White and Polished Aluminium
- Dimmable dependant on lamp type used

KSR7252 Alu



KSR7252 WHT



Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	Protection Class
KSR7252	Barro GU10 Pendant light	50w max	Varies	Varies	I

Nominal voltage	220~240VAC
Operating frequency	50/60Hz
Circuit Wattage	50w Max GU10 or GU10 LED
Circuit Current	Dependant on lamp choice
Driver Current Rating	N/A
PFC	varies
In Rush Current	Dependant on lamp choice
Ambient temperature range	0°C to +30°C
IP rating	20

Construction

Body: Extruded Aluminium


Standards

BSEN60598-1:2015 Luminaires – Part 1: General requirements and tests

In Conformity with

LVD	Low voltage directive 2014/35/EU
EMC	Electromagnetic compatibility directive 2014/30/EU
ERP	Energy related products directive 2009/125/EC
RoHS	Restriction of hazardous substances 2011/65/EU

Product Dimensions



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.

www.ksrlighting.com

KSR Barro Pendant lights – DS-C – 12th March 2020