



Product Information

Fuente 10w LED IP67 recessed lights are ideal for lighting wall perimeters for Pathways, stairways and Decking areas.

Comes with a 2 year warranty for your peace of mind.

Product Features

- 2 year warranty
- IP67
- Class I
- 10w 3000K AC LED
- CRI: Ra80
- Pre-wired with 2m Flex
- Up to 30,000hr Life Expectancy

Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	Energy Efficiency Class	Protection Class
KSR7186	Fuente 15w 3000K AC LED Ground Light	15	3000	900	A+	

Nominal voltage	220-240VAC
Operating frequency	50Hz
Circuit Wattage	15w including losses
Circuit Current	0.06A
Driver Current rating	N/A
PFC	0.85
In Rush Current	0.1A Max Peak
Ambient temperature range	-10°c~+30°c
Start time	< 0.5 sec
IP rating	67

Construction

Body: Extruded Aluminium
Rim: AISI 316L Stainless Steel
Diffuser: Transparent Glass

Standards


BSEN60598-1:2015 Luminaires – Part 1: General requirements and tests

In Conformity with

LVD Low voltage directive 2014/35/EU

EMC Electromagnetic compatibility directive 2014/30/EU ERP Energy related products directive 2009/125/EC RoHS Restriction of hazardous substances 2011/65/EU

Product Dimensions



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.