

Product Information

The Nariz LED Wall light are rated to IP44 making them ideal for bathroom spaces fixed next to mirrors for a soft glow.

Ideally suited to domestic and Residential applications

Product Features

- 2 year warranty
- Class I
- IP44
- 3000K as standard
- 2 styles to choose from
- High CRI: Ra81

Product Specification

Product Code	Product Description	Wattage (W)	ССТ (К)	CRI (Ra)	Lumens (lm)	Protection Class
KSR6168	Nariz Slim 2x4w 3000K LED Up & Down Wall Light	8w	3000	81	488	I
KSR6169	Nariz Slim 2x4w 3000K LED Up & Down Wall Light	8w	3000	81	488	I

Technical Data	KSR6168	KSR6169
Nominal voltage	220~240VAC	220~240VAC
Operating frequency	50/60Hz	50/60Hz
Circuit Wattage	7.8w	7.8w
Circuit Current	0.102A	0.102A
Driver Current Rating	350mA	350mA
PFC	0.46	0.46
In Rush Current	0.468	0.468
Ambient temperature range	-10°c to +30°c	-10°c to +30°c
IP rating	44	44

Construction

Body: Zinc Alloy

Standards

BSEN60598-1:2015 Luminaires – Part 1: General requirements and tests


In Conformity with

LVD Low voltage directive 2014/35/EU


EMC Electromagnetic compatibility directive 2014/30/EU ERP Energy related products directive 2009/125/EC RoHS Restriction of hazardous substances 2011/65/EU

Product Dimensions

KSR6168



KSR6169



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.