

Navara LED ST Emergency

Commercial Lighting



Product Information

The Navara LED ST Emergency Bulkheads are for Self-test Applications. Legends supplied.

They come complete with a 2 year warranty for your peace of mind.

Product Features

- 2 year warranty
- Class II
- 6000K LED
- CRI: Ra86
- Self-test Emergency
- Legends included
- L70 40,000Hrs
- Lighting designers can download photometric data from our website

Legends Supplied









Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CRI (Ra)	Energy Efficiency Class	Protection Class
KSR98101	Navara Self-Test Emergency Bulkhead	5w	6000	216 (Mains) 148 (battery)	86	A+	II

Nominal voltage	200~240VAC		
Operating frequency	50Hz		
Circuit Wattage	4.3w including areas		
Circuit Current	0.03A		
Driver Current Rating	50mA		
PFC	0.14		
In Rush Current	N/A		
Ambient temperature range	-20°c to +35°c		
IP rating	65		

Emergency Parameters

Circuit Wattage	0.4w		
Circuit Current	0.14mA		
Driver Current Rating	50mA		
PFC	0.14		
Battery Type	3.2v 1.5Ah LiFePO4		

Construction

Body: Polycarbonate Diffuser: Polycarbonate

Standards


BSEN60598-1:2015 Luminaires – Part 1: General requirements and tests
BSEN60598-2-22:2014 Luminaires – Part 2: Luminaires for Emergency Lighting


In Conformity with


LVD Low voltage directive 2014/35/EU

EMC Electromagnetic compatibility directive 2014/30/EU ERP Energy related products directive 2009/125/EC RoHS Restriction of hazardous substances 2011/65/EU

Product Dimensions







KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.