

# Norcia LED Wall light

*Exterior Wall Lighting*



Data Sheet

## Product Information

The Norcia LED wall lights are suitable for highlighting wall features for commercial and domestic applications. Also available with Dimming PIR.

With its complete Polycarbonate construction this fitting is ideal for Coastal areas.

## Product Features

- 2 year warranty
- IP65
- Class II
- CRI: Ra80
- 10w 4000K LED head
- Polycarbonate Construction suitable for High Saline areas
- Available with dimming PIR
- Life Expectancy up to 25,000hrs

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CRI (Ra)	Energy Efficiency Class	Protection Class
KSR1171	Norcia 10w 4000K LED Polycarbonate Up & Down wall light	10w	4000	900	80	A+	II
KSR1172	Norcia 10w 4000K LED Polycarbonate Up & Down wall light with dimming sensor	10w	4000	900	80	A+	II

## Product Specification

Nominal voltage	220~240VAC
Operating frequency	50Hz
Circuit Wattage	10w
Circuit Current	0.04A
Driver mA Rating	130mA
PFC	0.75
In Rush Current	0.5A Max Peak
Ambient temperature range	-10°C to +30°C
IP rating	65 or 54 (PIR version)

## PIR Parameters

PIR Range	12m Max Mounted at 4m
Detection Angle	130°
Time Adjust	5 seconds to 5 minutes
Lux Control	Min 5Lux – Max 2000Lux

## Construction

Body:	Polycarbonate
Lens:	Polycarbonate


## Standards

BSEN60598-1:2015	Luminaires – Part 1: General requirements and tests
------------------	---

## In Conformity with

LVD	Low voltage directive 2014/35/EU
EMC	Electromagnetic compatibility directive 2014/30/EU
ERP	Energy related products directive 2009/125/EC
RoHS	Restriction of hazardous substances 2011/65/EU

## Product Dimensions



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.