




Selva LED Spotlight

Exterior Recessed Lighting



Data Sheet

Product Information

Selva LED Spotlights are ideal for lighting wall perimeters for Pathways, feature lighting and wall washing applications.

Complete with a 2 year Warranty

Product Features

- 2 year warranty
- Class I
- IP65
- 5w 3000K LED delivering 245lumens
- CRI: Ra80
- Non-Dimmable
- Pre-wired with 500mm of Flex
- Up to 30,000hr Life Expectancy

Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	Energy Efficiency Class	Protection Class
KSR1322	Selva 5w 3000K LED Spike Light	5	3000	245	A+	I

Nominal voltage	220-240VAC
Operating frequency	50Hz
Circuit Wattage	5w including losses
Circuit Current	0.018 A
Driver Current rating	210mA
PFC	0.60
In Rush Current	0.25 A Max Peak
Ambient temperature range	-10°C~+30°C
Start time	< 0.5 sec
IP rating	65

Construction

Body:	Cast Aluminium
Lens:	Transparent Glass


Standards

BSEN60598-1:2015 Luminaires – Part 1: General requirements and tests

In Conformity with

LVD	Low voltage directive 2014/35/EU
EMC	Electromagnetic compatibility directive 2014/30/EU
ERP	Energy related products directive 2009/125/EC
RoHS	Restriction of hazardous substances 2011/65/EU

Product Dimensions



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.