

Supra LED

LED Pendants



Data Sheet

Product Information

The Supra LED range of pendant luminaires are perfect for counter/table lighting in commercial or domestic applications. Available in black or white and either 9W or 26W 3000K LED's.

They come complete with a 2 year warranty for your peace of mind.

Product Features

- 2 year warranty
- Class II
- IP20
- Instant on
- Life expectancy up to 40,000 hours
- 9W or 24W 3000K LED
- CRI: Ra82
- Non-Dimmable
- 55° Beam angle
- 2 Colour options
- Fully integrated driver
- Lighting designers can download photometric data from our website

Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CRI (Ra)	Energy Efficiency Class	Protection Class
KSR7300	Supra 9W 3000K LED Pendant Light Black with Black Shade	9	3000	780	82	A+	I
KSR7301	Supra 9W 3000K LED Pendant Light White with White Shade	9	3000	780	82	A+	I
KSR7302	Supra 24W 3000K LED Pendant Light Black with Black Shade	24	3000	2150	82	A+	I
KSR7303	Supra 24W 3000K LED Pendant Light White with White Shade	24	3000	2150	82	A+	I

Nominal voltage	220~240V
Operating frequency	50-60Hz
Ambient temperature range	-20°C~+40°C
Start time	< 0.5 sec
Beam angle	55°
IP rating	20

Construction

Body: Aluminium
Diffuser: Aluminium


Standards

BSEN60598-1:2015 Luminaires – Part 1: General requirements and tests


In Conformity with

LVD Low voltage directive 2014/35/EU
EMC Electromagnetic compatibility directive 2014/30/EU
ERP Energy related products directive 2009/125/EC
RoHS Restriction of hazardous substances 2011/65/EU

Product Dimensions



KSR7300-7301



KSR7302-7303

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.