

Roma Mini Select

Commercial Lighting



Data Sheet

Product Information

The Roma Mini Select surface fittings are the ultimate bulkhead solution, as standard fittings are triple CCT & multi wattage selectable. Selectable for 3000K, 4000K or 6000K and 8W/12W outputs.

Comes with a 5 year warranty.

Product Features

- 5 year warranty
- Class II
- IP65/IK10
- Colour Temperature & Wattage selectable 3000K, 4000K or 6000K LED and 8W/12W outputs
- CRI: Ra>89
- Up to 107lumens per circuit Watt
- Wall or ceiling mountable
- Microwave version available
- Suitable for BESA Box mounting
- L70 - 40,000hrs

Product Specification

Product Code	Product Description
KSRSF407	Roma Mini Select LED Multi Wattage Triple CCT Surface Fitting
KSRSF408	Roma Mini Select LED Multi Wattage Triple CCT Surface Fitting with Integral Microwave

Wattage (W)	CCT (K)	Lumens (lm)	CRI (Ra)	Energy Efficiency Class 2021	Protection Class
8	3000	760	86	F	II
	4000	820	89		
	6000	790	84		
12	3000	1050	86	F	II
	4000	1155	89		
	6000	1080	84		

Technical Data

	8W Output	12W Output
Nominal voltage	220~240VAC	220~240VAC
Operating frequency	50-60Hz	50-60Hz
Circuit Wattage	7.7w including driver losses	11.3w including driver losses
Circuit Current	TBC	TBC
Driver mA Rating	175mA	175mA
PFC	0.7	0.9
In Rush Current	TBC	TBC
Ambient temperature range	-10°C~+35°C	-10°C~+35°C
Start time	< 0.5 sec	< 0.5 sec
IK rating	10	10
IP rating	65	65

Construction

Body:	Polycarbonate
Diffuser:	Polycarbonate
Rim:	ABS


Standards

BSEN60598-1:2021	Luminaires – Part 1: General requirements and tests
BSEN60598-2-22:2014+A1 2020	Luminaires – Part 2: Luminaires for Emergency Lighting

In Conformity with

LVD	Low voltage directive 2014/35/EU
EMC	Electromagnetic compatibility directive 2014/30/EU
ERP	Energy related products directive 2019/2020/EC
RoHS	Restriction of hazardous substances 2015/863/EU

Product Dimensions



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.