

Starlet CR Select Dual Wattage

Commercial Lighting



Product Information

The Starlet CR Select dual wattage Panel design makes it ideal for commercial applications and this incorporated with its high-quality TP(b) rated diffuser & very low profile, the panel can be used throughout the install with minimal restriction. Along with the convenience of being able to switch between the luminaire output on site making it a very versatile panel.

The panel construction also helps lighting designers achieve UGR19 compliant schemes.

Comes with a 5 year warranty for peace of mind.

Product Features

- 5 year warranty
- Class II
- IP20
- 4000K
- Switchable output – 25W & 36W
- Low Profile - 26mm Depth
- TP(b) Diffuser as standard
- Plug & Play Driver
- Suitable for T Grid, Surface and Suspended Ceilings
- Part L compliant
- Helps to achieve UGR19 compliant lighting designs
- Self-test Emergency option Available
- L70 – 40,000hrs

Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CRI (Ra)	Energy Efficiency Class	Protection Class	Circuit Current	
98155	Starlet CR Select Dual Wattage LED 600x600 Backlit TP(b) Panel	25	4000	2345	88	F	II	0.109A	
		36	4000	3215	88	F	II	0.153A	
Optional Accessories:									
9853	Starlet 600mm x 600mm x 85mm Surface Frame								

***For emergency options add EM after the part number (149 Lumens in Emergency Operation).**

Technical Data	600x600 LED Panel
Nominal voltage	200~240VAC
Operating frequency	50/60Hz
Circuit Wattage	25W = 24.32W
	36W = 37.75W
PFC	0.921
	0.962
In Rush Current	25W = 1.7A
	36W = 1.792A
Start Time	0.08 Sec
Ambient temperature range	0°C to +40°C

Construction

Rim: Aluminium
 Diffuser: Polycarbonate TP(b) rated


Standards

BSEN60598-1:2021 Luminaires – Part 1: General Requirements and tests
 BSEN60598-2-22:2014+A1 2020 Luminaires – Part 2: Luminaires emergency lighting

In Conformity with

LVD Low voltage directive 2014/35/EU
 EMC Electromagnetic compatibility directive 2014/30/EU
 ERP Energy related products directive 2019/2020/EU
 RoHS Restriction of hazardous substances 2015/863/EU

Product Dimensions



Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, we cannot accept any liability arising from the reliance on such data to the extent permitted.